

[Minnesota Rules, Table of Chapters](#)

[Table of contents for Chapter 4658](#)

**4658.5200 FOOD SERVICE EQUIPMENT; EXISTING CONSTRUCTION.**

Subpart 1. **Food service equipment.** All food service equipment being replaced must be of a type that complies with the requirements of part [4658.3500](#), subpart 3.

Subp. 2. **Cutting boards.** Cutting boards or similar use table tops must be constructed of nonporous, smooth, and cleanable material, and be free of cracks, crevices, and open seams.

Subp. 3. **Scullery sink.** For manual washing, rinsing, and sanitizing of utensils and equipment, a sink with at least three compartments must be provided and used. Sink compartments must be large enough to permit the accommodation of the equipment and utensils, and each compartment of the sink must be supplied with hot and cold potable running water. Drain boards must be provided at each end for proper handling of soiled utensils before washing and for cleaned utensils following sanitizing and must be located so as not to interfere with the proper use of the utensil washing facilities. If the mechanical dishwasher or a mechanical utensil washer is used for the sanitizing of pots

and pans, a sanitizing compartment is not required and a two-compartment scullery sink is acceptable if used according to parts [4658.0675](#) and [4658.0680](#).

STAT AUTH: MS s [144A.04](#); [144A.08](#)

HIST: 21 SR 196

*Current as of 01/19/05*

[Minnesota Rules, Table of Chapters](#)

[Table of contents for Chapter 4658](#)

**4658.5205 LAUNDRY; EXISTING CONSTRUCTION.**

A laundry, if provided in the nursing home, must be sized and equipped to handle the laundering of all linen and personal clothing to be processed in the nursing home.

STAT AUTH: MS s [144A.04](#); [144A.08](#)

HIST: 21 SR 196

*Current as of 01/19/05*

[Minnesota Rules, Table of Chapters](#)

[Table of contents for Chapter 4658](#)

**4658.5210 SOILED LINEN COLLECTION ROOM; EXISTING CONSTRUCTION.**

A separate, enclosed soiled linen room must be provided for the collection, storage, and sorting of soiled linen to be processed in the laundry processing room or by an outside laundry service.

STAT AUTH: MS s [144A.04](#); [144A.08](#)

HIST: 21 SR 196

*Current as of 01/19/05*

[Minnesota Rules, Table of Chapters](#)

[Table of contents for Chapter 4658](#)

**4658.5215 LAUNDRY EQUIPMENT; EXISTING CONSTRUCTION.**

Laundry equipment must be of commercial type and must be of sufficient size and quantity for the size of the facility. The washer installation must be constructed of materials capable of meeting the operating requirements in part [4658.1410](#). Any new or replacement washer must be capable of measuring and displaying internal water temperatures.

STAT AUTH: MS s [144A.04](#); [144A.08](#)

HIST: 21 SR 196

*Current as of 01/19/05*

[Minnesota Rules, Table of Chapters](#)

[Table of contents for Chapter 4658](#)

**4658.5220 CLEAN LINEN STORAGE; EXISTING CONSTRUCTION.**

Rooms, closets, or enclosed carts must be provided for the storage of clean linen.

STAT AUTH: MS s [144A.04](#); [144A.08](#)

HIST: 21 SR 196

*Current as of 01/19/05*

[Minnesota Rules, Table of Chapters](#)

[Table of contents for Chapter 4658](#)

**4658.5225 LAUNDRY FOR PERSONAL CLOTHING; EXISTING CONSTRUCTION.**

Provision must be made for the washing of personal clothing either within or outside the facility. Residential-grade equipment may be used for the washing of personal clothing.

STAT AUTH: MS s [144A.04](#); [144A.08](#)

HIST: 21 SR 196

*Current as of 01/19/05*

[Minnesota Rules, Table of Chapters](#)

[Table of contents for Chapter 4658](#)

**4658.5230 REFUSE; EXISTING CONSTRUCTION.**

Subpart 1. **Refuse area.** An outside, fenced area or a separate room must be provided for holding trash and garbage prior to disposal. It must be located conveniently to the service entrance and be sized to accommodate the refuse volume and the chosen type of disposal system.

Subp. 2. **Incinerator.** An incinerator, if provided, must be in a separate room, or in a designated area within the boiler or heater room, or outdoors. An incinerator, if provided, must comply with parts [7011.1201](#) to [7011.1285](#).

STAT AUTH: MS s [144A.04](#); [144A.08](#)

HIST: 21 SR 196

*Current as of 01/19/05*

[Minnesota Rules, Table of Chapters](#)

[Table of contents for Chapter 4658](#)

**4658.5235 FACILITIES FOR PERSONNEL; EXISTING CONSTRUCTION.**

Locker and toilet facilities must be provided for personnel.

STAT AUTH: MS s [144A.04](#); [144A.08](#)

HIST: 21 SR 196

*Current as of 01/19/05*

[Minnesota Rules, Table of Chapters](#)

[Table of contents for Chapter 4658](#)

**4658.5240 REHABILITATIVE SERVICES AREAS; EXISTING CONSTRUCTION.**

Subpart 1. **Specialized rehabilitative therapy area.** A specialized rehabilitative therapy service, if provided, must be provided space and equipment for exercise and treatment which meets the needs of a medically directed therapy program and of the residents receiving services. Each treatment area must be designed and equipped to protect residents' visual privacy. A lavatory or sink must be conveniently located to all rehabilitative service areas. Space for administrative activities and storage of supplies and equipment must be provided for any rehabilitative service provided.

Subp. 2. **Physical therapy area.** A physical therapy area, if provided, must have a lavatory or sink with institutional

fittings and a single-service towel dispenser. A toilet room must be located convenient to the physical therapy area.

STAT AUTH: MS s [144A.04](#); [144A.08](#)

HIST: 21 SR 196

*Current as of 01/19/05*

[Minnesota Rules, Table of Chapters](#)

[Table of contents for Chapter 4658](#)

**4658.5245 BARBER AND BEAUTY SHOP SERVICES ROOM; EXISTING  
CONSTRUCTION.**

In buildings constructed after 1972, a room must be provided and equipped for barber and beauty shop services.

STAT AUTH: MS s [144A.04](#); [144A.08](#)

HIST: 21 SR 196

*Current as of 01/19/05*

[Minnesota Rules, Table of Chapters](#)

[Table of contents for Chapter 4658](#)

**4658.5290 PENALTIES FOR DIETARY, LAUNDRY, AND OTHER SERVICES;  
EXISTING CONSTRUCTION RULE VIOLATIONS.**

Penalty assessments for violations of parts [4658.5200](#) to [4658.5245](#) shall be assessed on a daily basis and are as follows:

A. parts [4658.5200](#) to [4658.5220](#), \$200;

B. part [4658.5225](#), \$100; and

C. parts [4658.5230](#) to [4658.5245](#), \$150.

STAT AUTH: MS s [144A.04](#); [144A.08](#)

HIST: 21 SR 196

*Current as of 01/19/05*